

**NUCLEAR REACTOR PROCESS SYSTEMS:  
THERMAL HYDRAULIC ANALYSIS**

**prepared by: Wm. J. Garland, Professor  
Department of Engineering Physics  
McMaster University  
Hamilton, Ontario  
Canada  
February 1998**

for the Thailand Initiative

# TABLE OF CONTENTS:

FORWARD .....	v
GLOSSARY OF ABBREVIATIONS AND ACRONYMS .....	vii
Chapter 1 Course Overview .....	1-1
1.1 Introduction.....	1-1
1.2 Learning Outcomes.....	1-2
1.3 The Course Layout .....	1-3
Chapter 2 Basic Equations for Thermalhydraulic Systems Analysis .....	2-1
2.1 Introduction.....	2-1
2.2 Conservation .....	2-4
2.3 Conservation of Mass .....	2-6
2.4 Conservation of Momentum.....	2-8
2.5 Conservation of Energy .....	2-10
2.6 The Equation of State .....	2-15
2.7 Emperical Correlations .....	2-16
2.8 Solution Overview .....	2-16
2.9 Exercises .....	2-18
Chapter 3 Nodalization .....	3-1
3.1 Introduction.....	3-1
3.2 The Noble-Link Concept.....	3-2
3.3 Nodal Diffusion .....	3-3
3.4 Examples .....	3-4
3.5 Matrix Notation.....	3-5
3.6 Exercises .....	3-7
Chapter 4 Equation of State.....	4-1
4.1 Introduction.....	4-1
4.2 Thermodynamic Properties .....	4-2
4.3 The Iterative Method .....	4-3
4.4 The Rate Method .....	4-5
4.5 H <sub>2</sub> O Property Fits.....	4-9
4.6 Exercises .....	4-11
Chapter 5 The Rate Form of the Equation of State .....	5-1
5.1 Introduction.....	5-1
5.2 The Rate Form .....	5-2
5.3 Numerical Investigations: a Simple Case .....	5-3
5.4 Numerical Investigations: a Practical Case .....	5-8
5.5 Discussion And Conclusion .....	5-11
5.6 Exercises .....	5-12

Chapter 6	Thermalhydraulic Network Simulations.....	6-1
6.1	Introduction.....	6-1
6.2	Porsching’s Method.....	6-2
6.3	Dervation of FIBS.....	6-2
6.4	Special Cases .....	6-8
6.5	Programming Notes.....	6-9
6.6	Conclusion .....	6-10
6.7	Exercises .....	6-11
Chapter 7	Emperical Correlations.....	7-1
7.1	Introduction.....	7-1
7.2	Emperical Correlations.....	7-1
7.3	Two Phase Flow Void Correlations.....	7-2
7.4	Friction .....	7-3
7.5	Heat Transfer Coefficients .....	7-4
7.6	Thermodynamic Properties .....	7-4
7.7	Flow Regime Maps.....	7-5
7.8	Special Component Data.....	7-5
7.9	Exercises .....	7-8
Chapter 8	On Design Tools.....	8-1
8.1	Introduction.....	8-1
8.2	The Model’s Tenuous Link to Reality .....	8-1
8.3	Documentation, Verification and Validation.....	8-2
8.4	Design Tools .....	8-2
8.5	Notes on Steam Generator Modelling.....	8-10
References	.....	R-1

**LISTS:**

Table 4.1	Summary of the F functions for the rate form of the equation of state.....	4-12
Table 4.2	Summary of the G functions for the rate form of the equation of state .....	4-13
Table 5.1	Figure of Merit Comparisons of the Normal and Rate Forms of the Equation of State for Various Convergence Criteria (Simple Case).....	5-13
Figure 1.1	Concept map for the course.....	1-4
Figure 1.2	The cognitive domain .....	1-5
Figure 2.1	Derivation path.....	2-19
Figure 2.2	The four cornerstone single phase equations and the flow of information between them.....	2-20
Figure 2.3	The four cornerstone equations for the full two-fluid model.....	2-21
Figure 2.4	The four cornerstone equations for the two fluid model with equal pressure of the two phases .....	2-21
Figure 2.5	Simple pool-type research reactor.....	2-22
Figure 3.1	A general and connecting links .....	3-8
Figure 3.2	Two connected nodes .....	3-8
Figure 3.3	Node-link setup for a simple pipe .....	3-9
Figure 3.4	Node-link setup for an area change in a pipe.....	3-10
Figure 3.5	Illustration of convection and diffusion.....	3-10

Figure 3.6	Transmission of a step change using the plug flow model and a feeder model with skewing due to differences in transit times.....	3-11
Figure 3.7	Transmission of a step change using the Plug Flow model and the Mixing Tank model (1 to 50 tanks).....	3-11
Figure 3.8	Simple Tee junction.....	3-12
Figure 3.9	Simple Y junction.....	3-12
Figure 3.10	Sample node-link connections for a header.....	3-12
Figure 3.11	Node-link diagram: 1/4 circuit Darlington GS.....	3-13
Figure 3.12	Node-link diagram: Full circuit Darlington GS.....	3-14
Figure 3.13	4 node – 5 link diagram.....	3-15
Figure 4.1	P-v-T surface for water.....	4-13
Figure 4.2	Numerical search for P given $L$ and h for a two-phase mixture.....	4-13
Figure 4.3	Error correction scheme for pressure in two-phase.....	4-14
Figure 4.4	Density vs. pressure at various temperatures in subcooled water.....	4-14
Figure 4.5	Basis for curve fitting in the subcooled region.....	4-15
Figure 5.1	Simple 2-node, 1 link system.....	5-13
Figure 5.2	Program flow diagram for the normal method.....	5-14
Figure 5.3	Program flow diagram for the rate method.....	5-15
Figure 5.4	Number of iterations per pressure routine call for the normal method with a time step of 0.01 seconds and a pressure error tolerance of 0.001 of full scale (10 mPa).....	5-16
Figure 5.5	Integrated flow error for the rate method and the normal method for various fixed time steps, convergence tolerances and adjustment factors.....	5-16
Figure 5.6	Schematic of control volumes in the pressurizer.....	5-17
Figure 5.7	Flow vs. time for the implicit forms of the normal and rate method.....	5-17
Figure 5.8	Pressurizer's pressure transient for the normal method with error tolerance of 0.2%.....	5-18
Figure 5.9	Pressurizer's pressure transient for the rate method.....	5-18
Figure 5.10	Averaged number of iterations per pressure routine call for the normal method in simulating pressurizer problem.....	5-19
Figure 6.1	The simple 4 node – 5 link example.....	6-12
Figure 6.2	The four cornerstone equations for thermohydraulic system simulation and the flow of information between them.....	6-12
Figure 7.1	Void fraction versus quality for mixtures of saturated liquid and vapour water.....	7-9
Figure 7.2	$\beta$ versus $x$ and $\partial\beta/\partial x$ .....	7-10
Figure 7.3	Flow regimes in horizontal pipes.....	7-11
Figure 7.4	Typical power distributions.....	7-12
Figure 7.5	Complete pump characteristics, double-suction pump, speed = 1800 rpm.....	7-13
Figure 7.6	Head characteristics for a typical CANDU pump.....	7-14
Figure 7.7	Torque characteristics for a typical CANDU pump.....	7-15
Figure 7.8	Choked flow characteristics for a valve.....	7-16
Figure 7.9	Control valve characteristics.....	7-16
Figure 7.10	Critical heat flux.....	7-17

Figure 7.11	Possible thermalhydraulic regimes in a coolant channel.....	7-18
Figure 7.12	Power and quality versus length along a fuel channel.....	7-19
Figure 7.13	Power versus quality.....	7-19
Figure 7.14	Critical Power Ratio determination.....	7-19